

? Schizophrenia Complicating Pregnancy

Presenter : Dr. Shaheen

Designation : Obs /Gyn Consultant

Hospital : Duru Shavar Hospital, Hyderabad

Date of Presentation : 13.10.2009

Case

- Mrs. FN, 24 yrs graduate, residing at Hyderabad
- Primigravida booked at 12 wks
- ML 1yr
- LMP - 18-Nov-08
- EDD – 25-Aug-09
- S EDD – 26-Sep-09 (7 wks)
- Irregular cycles

History

- **Past History : NS**
- **Family History : Mother - ?Schizophrenia**
- **Regular ANC'S, at 32 wks developed crying spells, anxiety, auditory hallucinations, insomnia**
- **Consulted Psychiatrist, started on psychotropic drugs (Procyclidine, Resperidone, Sertraline)**

Follow up

- On follow up - good improvement
- At 37 wks had decreased FM, NST suspicious, BPP normal
- Repeat CTG pathological
- O/E: P/A: Ut term, cephalic, FHS+
- VE: Cx post long, os admits tip of the finger, PP-2

Delivery Details

- LSCS done, male baby, 3.4kgs, MSL, good apgar
- Postnatal - Continuing medication

Investigations

- CBP- Hb-11.5 gm%
- O positive
- CUE- N , C/S – sterile
- TSH-n
- OGCT-70mg%
- VDRL, HIV, HbsAg- NR
- TIFFA-N
- Growth scan-n

Diagnosis

- Severe Depression
- ?Schizophrenia